



L	Hits	Search Text	DB	Time stamp
Number	1050	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	USPAT;	2002/07/10
-	1950	databas\$4 and schedul\$4 and histor\$4 and (job\$4 or task\$4)	EPO; JPO;	13:33
			DERWENT; IBM TDB	
	1695	databas\$4 and schedul\$4 and network\$4 and	USPAT;	2002/07/02
-	1695	histor\$4 and (job\$4 or task\$4)	EPO; JPO;	11:09
		inistora and (jobar or caskar)	DERWENT;	111.03
	Ni Ni		IBM TDB	
	500	3 . 3 . 44 . 1 . 3 . 3 . 44 3	USPAT;	2002/07/03
-	690	databas\$4 and schedul\$4 and network\$4 and		
		histor\$4 and ((job\$4 or task\$4) same	EPO; JPO;	16:58
		(execut\$4 or launch\$4))	DERWENT;	
			IBM_TDB	0000/05/05
-	584	databas\$4 and schedul\$4 and network\$4 and	USPAT;	2002/06/25
		histor\$4 and ((job\$4 or task\$4) same	EPO; JPO;	14:52
		(execut\$4 or launch\$4)) and parameter	DERWENT;	
	1		IBM_TDB	
-	264	(parameter same (databas\$4 or task\$4))	USPAT;	2002/06/25
		and databas\$4 and schedul\$4 and network\$4	EPO; JPO;	16:18
		and histor\$4 and ((job\$4 or task\$4) same	DERWENT;	
		(execut\$4 or launch\$4)) and configur\$4	IBM_TDB	0.3
_	178	(parameter same (databas\$4 or task\$4))	USPAT;	2002/06/26
		and databas\$4 and schedul\$4 and network\$4	EPO; JPO;	10:33
		and histor\$4 and ((job\$4 or task\$4) same	DERWENT;	
		(execut\$4 or launch\$4)) and configur\$4	IBM TDB	
		and install\$4	_===	
_	113	(parameter same (databas\$4 or task\$4))	USPAT;	2002/06/26
	113	and databas\$4 and schedul\$4 and network\$4	EPO; JPO;	12:31
		and histor\$4 and ((job\$4 or task\$4) same	DERWENT;	1
		(execut\$4 or launch\$4)) and configur\$4	IBM TDB	1
		and install\$4 and nod\$4	1511_155	1
_	66	(parameter same (databas\$4 or task\$4))	USPAT;	2002/07/02
_	00	and databas\$4 and schedul\$4 and network\$4	EPO; JPO;	11:22
		and histor\$4 and ((job\$4 or task\$4) same	DERWENT;	111.22
		(execut\$4 or launch\$4)) and configur\$4	IBM TDB	
			1 DFI_1DB	
		and install\$4 and (nod\$4 same (program\$4		
		execut\$4))	HCDAM.	2002/07/01
-	40	(((send\$4 or receiv\$4) near7 (job\$4 or	USPAT;	
	•	task\$4)) and view\$3 and (parameter\$4	US-PGPUB;	14:00
	1	near7 (job\$4 or task\$4))) and 707/\$.ccls.	EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	2222 (27 (27
-	67		USPAT;	2002/07/01
	1	task\$4)) and view\$3 and (parameter\$4	US-PGPUB;	14:01
	1 4	near7 (job\$4 or task\$4))) and 700/\$.ccls.	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	43	(((send\$4 or receiv\$4) near7 (job\$4 or	USPAT;	2002/07/02
	11	task\$4)) and view\$3 and (parameter\$4	US-PGPUB;	09:03
		near7 (job\$4 or task\$4))) and 700/\$.ccls.	EPO; JPO;	
	_4	and network\$4	DERWENT;	
			IBM_TDB	
-	235	(send\$4 same (task\$4 same nod\$4)) and	USPAT;	2002/07/02
		(monitor\$4 near7 (task\$4 or nod\$4))	US-PGPUB;	09:01
		(EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	33	(((send\$4 or receiv\$4) near7 (job\$4 or	USPAT;	2003/03/13
	33	task\$4)) and view\$3 and (parameter\$4	US-PGPUB;	14:25
		near7 (job\$4 or task\$4))) and 707/\$.ccls.	EPO; JPO;	11.20
			DERWENT;	
	1.	and network\$4		
	222	/	IBM_TDB	2002/07/02
-	338	(send\$4 same (task\$4 same nod\$4)) and	USPAT;	2002/07/02
		(monitor\$4 same (task\$4 or nod\$4))	US-PGPUB;	10:11
	!		EPO; JPO;	
			DERWENT;	
	r .	I .	IBM TDB	1

		y ,	•	
_	56	(((send\$4 or receiv\$4) near7 (job\$4 or task\$4)) and (parameter\$4 near7 (job\$4 or	USPAT; US-PGPUB;	2002/07/02 09:05
		task\$4))) and 700/\$.ccls. and network\$4	EPO; JPO; DERWENT; IBM TDB	
_	19	(((send\$4 or receiv\$4) near7 (job\$4 or task\$4)) and (parameter\$4 near7 (job\$4 or	USPAT; US-PGPUB;	2002/07/02
		task\$4))) and 717/\$.ccls. and network\$4	EPO; JPO; DERWENT;	
_	47	(((send\$4 or receiv\$4) near7 (job\$4 or	IBM_TDB USPAT;	2002/07/02
		task\$4)) and (parameter\$4 near7 (job\$4 or task\$4))) and 707/\$.ccls. and network\$4	US-PGPUB; EPO; JPO; DERWENT;	09:05
-	95	(((send\$4 or receiv\$4) near7 (job\$4 or	IBM_TDB USPAT;	2002/07/02
		<pre>task\$4)) and ((parameter\$4 or updat\$4 or synchroniz\$4) near7 (job\$4 or task\$4))) and network\$4 and histor\$4 and</pre>	US-PGPUB; EPO; JPO;	10:31
		(700/\$.ccls. or 707/\$.ccls. or 717/\$.ccls.)	DERWENT; IBM_TDB	
-	129	(parameter same (databas\$4 or task\$4)) and databas\$4 and schedul\$4 and network\$4	USPAT; EPO; JPO;	2002/07/02 12:47
		and histor\$4 and ((job\$4 or task\$4) same (execut\$4 or launch\$4 or updat\$4)) and	DERWENT; IBM_TDB	
-	124	<pre>(nod\$4 same (program\$4 execut\$4)) (parameter same (databas\$4 or task\$4))</pre>	USPAT;	2002/07/02
		and databas\$4 and schedul\$4 and network\$4 and histor\$4 and ((job\$4 or task\$4) same	EPO; JPO; DERWENT;	12:49
		<pre>(execut\$4 or launch\$4 or updat\$4)) and (nod\$4 same (program\$4 execut\$4)) and monitor\$4</pre>	IBM_TDB	
	136	(parameter same (databas\$4 or task\$4)) and databas\$4 and schedul\$4 and network\$4	USPAT; EPO; JPO;	2002/07/03
		and histor\$4 and ((job\$4 or task\$4) same (execut\$4 or launch\$4 or updat\$4 or	DERWENT; IBM TDB	
		monitor\$4)) and (nod\$4 same (program\$4 execut\$4))	_	
-	124	<pre>(parameter same (databas\$4 or task\$4)) and databas\$4 and schedul\$4 and network\$4</pre>	USPAT; EPO; JPO;	2002/07/02 13:54
	·	and histor\$4 and ((job\$4 or task\$4) same (execut\$4 or launch\$4 or monitor\$4)) and (nod\$4 same (program\$4 execut\$4)) and	DERWENT; IBM_TDB	
	90	updat\$4 (parameter same (databas\$4 or task\$4))	USPAT;	2002/07/02
		and databas\$4 and schedul\$4 and network\$4 and histor\$4 and ((job\$4 or task\$4)		14:21
		near10 (execut\$4 or launch\$4 or monitor\$4)) and (nod\$4 same (program\$4	IBM_TDB	
_	247	execut\$4)) and updat\$4 (databas\$4 and schedul\$4 and histor\$4 and	USPAT;	2002/07/03
		monitor\$4 and (nod\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or	EPO; JPO; DERWENT;	09:21
_	496	job) near10 (synchroniz\$4 or updat\$4)) (databas\$4 and schedul\$4 and histor\$4 and	IBM_TDB USPAT;	2002/07/03
		<pre>monitor\$4 and (nod\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or job or database) near10 (synchroniz\$4 or</pre>	EPO; JPO; DERWENT; IBM TDB	09:27
_	93	updat\$4)) (databas\$4 and schedul\$4 and histor\$4 and	USPAT;	2002/07/03
		monitor\$4 and (nod\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or	EPO; JPO; DERWENT;	15:09
		job or database) near10 (synchroniz\$4 or updat\$4)) and ((transmit\$4 or send\$4)	IBM_TDB	
_	32	near6 nod\$4) (databas\$4 and schedul\$4 and histor\$4 and	USPAT;	2002/07/03
		monitor\$4 and (nod\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or	EPO; JPO; DERWENT;	09:46
		<pre>job or database) near10 (synchroniz\$4 or updat\$4)) and (((transmit\$4 or send\$4) and receiv\$4) near6 nod\$4)</pre>	IBM_TDB	
L		did recerval hear o hodal		l

			'n	
-	26	(databas\$4 and schedul\$4 and histor\$4 and monitor\$4 and (nod\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or job or database) near10 (synchroniz\$4 or updat\$4)) and (((transmit\$4 or send\$4) and receiv\$4) near6 (nod\$4 or task\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/07/03
-	31	and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/07/03 11:24
-	32	receiv\$4) near10 (parameter or database))) (databas\$4 and schedul\$4 and histor\$4 and nod\$4 and monitor\$4 and (task\$4 or job\$4) and parameter\$4) and ((histor\$4 or task\$4 or job or database) near10 (synchroniz\$4 or updat\$4)) and ((transmit\$4 or send\$4) near6 nod\$4) and (task\$4 near10	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/07/03 15:43
-	403	(synchroniz\$4 or updat\$4))	USPAT; EPO; JPO; DERWENT;	2002/07/03 15:45
-	101	monitor\$4) and ((histor\$4 or task\$4 or job or database) near10 (synchroniz\$4 or	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/07/03 16:09
-	72	monitor\$4) and ((histor\$4 or task\$4 or job or database) near10 (synchroniz\$4 or	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/07/09 08:10
-	514	updat\$4)) and parameter (monitor\$4 near7 (comput\$4 or network\$4) near7 process\$4) and nod\$4 and parameter and (synchroniz\$4 or updat\$4)	USPAT; EPO; JPO; DERWENT;	2002/07/03
-	248	(monitor\$4 near4 (comput\$4 or network\$4) near4 process\$4) and nod\$4 and parameter and (synchroniz\$4 or updat\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:18
-	79	(monitor\$4 near4 (comput\$4 or network\$4) near4 process\$4) and nod\$4 and parameter and (synchroniz\$4 or updat\$4) and printer	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/07/08 13:38
-	1160	(700/\$.ccls. or 707/\$.ccls. or 717/\$.ccls) and ((task\$4 or database) near10 (updat\$4 or synchroniz\$4)) and	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/07/08 17:00
-	117	(gui or (user adj interface)) (700/\$.ccls. or 707/\$.ccls. or 717/\$.ccls) and ((task\$4 or database) near10 (updat\$4 or synchroniz\$4)) and (gui or (user adj interface)) and	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/07/08 17:02
_	17	(stat\$4 near7 task\$4) (700/\$.ccls. or 707/\$.ccls. or 717/\$.ccls) and ((task\$4 or database) near10 (updat\$4 or synchroniz\$4)) and (gui or (user adj interface)) and (stat\$4 near7 task\$4) and ((execut\$4 or	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/07/08 17:11
_	4	run\$4) near8 (application or program\$4 or task\$4) same nod\$4) ((task\$4 or job) same nod\$4 same monitor\$4) and (histor\$4 near10 (task\$4 or job)) and parameter and (gui or (user	USPAT; EPO; JPO; DERWENT;	2002/07/09 09:19
_	29	adj interface)) ((task\$4 or job) same nod\$4) and (histor\$4 near10 (task\$4 or job)) and parameter and (gui or (user adj	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/07/09 10:00
	L	interface))	IBM_TDB	L

histor\$4 and (job\$4 or task\$4) and EPO; JPO; 12 (execut\$5 near7 (tim\$4 or date)) DERWENT; IBM_TDB	02/07/10 :50
(execut\$5 near7 (tim\$4 or date)) DERWENT; IBM_TDB databas\$4 and schedul\$4 and network\$4 and USPAT; histor\$4 and (execut\$5 near7 (tim\$4 or EPO; JPO; 12	::50
- 125 databas\$4 and schedul\$4 and network\$4 and USPAT; 20 histor\$4 and (execut\$5 near7 (tim\$4 or EPO; JPO; 12	
- 125 databas\$4 and schedul\$4 and network\$4 and USPAT; 20 histor\$4 and (execut\$5 near7 (tim\$4 or EPO; JPO; 12	
histor\$4 and (execut\$5 near7 (tim\$4 or EPO; JPO; 12	102 /07 /10
miscold, and forecasts meal, formit of first first	102/07/10
	.:33
date) hear4 (job34 or task34)) DERWENT, IBM TDB	
i i i i i i i i i i i i i i i i i i i	02/07/10
	:12
(execut\$5 near7 (tim\$4 or date)) and icon DERWENT;	
IBM TDB	
- 53 databas\$4 and schedul\$4 and network\$4 and USPAT; 20	02/07/10
	:16
date) near4 (job\$4 or task\$4)) and icon DERWENT;	
IBM_TDB	/ /
	02/07/10
, , , , , , , , , , , , , , , , , , , ,	:26
(execut\$5 near7 (tim\$4 or date)) and icon DERWENT;	
and (folder or director\$4) IBM_TDB IBM_TDB 25 (databas\$4 and schedul\$4 and network\$4 USPAT; 20	03/03/13
	:20
or date) near4 (job\$4 or task\$4)) and DERWENT;	. 20
icon) and (folder or director\$4) IBM TDB	
	03/03/13
	:20
EPO; JPO;	1.1
DERWENT;	
IBM_TDB	
1	03/03/13
	:20
near7 (job\$4 or task\$4))) and 717/\$.ccls. EPO; JPO;	
and network\$4 DERWENT;	
IBM_TDB IBM_TD	03/03/13
	:21
parameter\$4) and ((histor\$4 or task\$4 or DERWENT;	. 2 1
job or database) near10 (synchroniz\$4 or IBM TDB	
updat\$4)) and (((transmit\$4 or send\$4)	
and receiv\$4) near6 nod\$4) and agent	
	03/03/13
	:21
and (synchroniz\$4 or updat\$4) and printer DERWENT;	
and (gui or (user adj interfac\$4)) and IBM_TDB	
(task\$4 or job)	
	03/03/13
	:21
date)) and (icon near10 (job\$4 or DERWENT;	
task\$4)) - 39 (((send\$4 or receiv\$4) near7 (job\$4 or USPAT; 200	03/03/13
	:26
near7 (job\$4 or task\$4))) and 707/\$.ccls. EPO; JPO;	
and network\$4	
IBM TDB	
	03/03/13
	:37
parameter\$4) and ((histor\$4 or task\$4 or DERWENT;	
job or database) near10 (synchroniz\$4 or IBM TDB	
updat\$4)) and (((transmit\$4 or send\$4)	
and receiv\$4) near6 ((nod\$4 or task\$4))	
and (((transmit\$4 or send\$4) and	
receiv\$4) same parameter))	